

INDEX MAPS.

T. 6N, R. 12E. 2nd Mer.

	356	356	356	357	357	357						
359	6	373	5	4	378	3	378	2	377	1	355	
	373	376	377-379	377-378	377-378	377						
359	7	372	8	376	9	375	10	375	11	374	12	355
	372	373-376	374-376	374-375	374-375	374						
358	18	372	17	371	16	371	15	370	14	369	13	356
	368	369-371	369-371	369-370	369-370	369						
358	19	368	20	368	21	367	22	366	23	366	24	
	365	365-368	365-367	365-367	366	366						
358	30	364	29	363	28	362	27	361	26	360	25	
	364	364	363	362	361	360						
358	31	363	32	362	33	361	34	361	35	359	36	
	353	353	353	354	354	354						

T. 7N, R. 12E. 2nd Mer.

	385-387	385-387	385-387	385-387	386	386						
390	6	408	5	407	4	406	3	405	2	403	1	384
	408	407		406		405		404		403		
389	7	407	8	406	9	405	10	404	11	403	12	384
	402	402-407		402-406		402-405		402-404		402		
389	18	401	17	400	16	399	15	398	14	397	13	384
	401	401		400		399		397		396		
388	19	401	20	399	21	398	22	397	23	396	24	383
	395	395-400		395-399		396-398		396-397		396		
388	30	395	29	394	28	393	27	392	26	391	25	383
	395	394		393		392		391		390		
388	31	394	32	393	33	392	34	391	35	390	36	382
	381	381		381		381		382		382		

(P The figures on the lines refer to the page.

381
Township N. 7 North, Range N. 12 East 2^d Mer. Indiana
ch. lks.

South Boundary.

East On S. boundary of Sec. 31, T. 7 N. R. 12 E.
40.00 Set q. Sec. post, from which
a W. Ash 24 in. diam. bran N 60 E 10 lks. dist. of
a Beech 28 " " " S 70 E 19 " "
52.50 a Spring branch Course N. E.
80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 9 in. diam. bran S 66 E 32 lks. dist. of
a Do. 14 " " " N 40 W 18 " "
This mile low 2^d rate, timber Beech, Angora &c.

East On South boundary of Sec. 32
40.00 Set q. Sec. post, from which
a Beech 16 in. diam. bran S 65 E 19 lks. dist. of
a Sugar 18 " " " N 10 E 22 " "
70.00 a Stream 10 lks. wide C. P. N. begin to ascend a steep hill
80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 6 in. diam. bran N 75 W 18 lks. dist. of
a Do. 8 " " " S 35 W 25 " "
This mile hilly 3^d rate, timber Poplar, Beech, Angora &c.

East On S. boundary of Sec. 33
40.00 Set q. Sec. post, from which
a Beech 8 in. diam. bran S 67 E 29 lks. dist. of
a Do. 18 " " " N 79 W 28 " "
50.00 a Stream 10 lks. wide Course N. E.
80.00 Set ~~q. Sec.~~ post Cor. to Sec. 33 & 34, from which
a Beech 4 in. diam. bran S 60 E 4 lks. dist. of
a Do. 15 " " " N 55 E 10 " "
This mile hilly 3^d rate land, timber Beech, Angora, Oak &c

East On S. boundary of Sec. 34
40.00 Crossed Langhens Creek 150 lks. wide Course South of
Set q. Sec. post, from which
a Sugar 10 in. diam. bran S 80 E 11 lks. dist. of
a W. Oak 12 " " " N 30 E 21 " "

Ty N R 12 E. 2nd Mer. Indiana
ch. lks.

- 69.00 a Stream 10 lks. wide run S.
80.00 Set post Cor. to Sec. 34 & 35, from which
a Beech 12 in. diam. brang S 40° W 3 lks. dist. of
a Co. 12 " " " N 79° W 9 " "
This mile broken 3rd rate, timber Beech, Oak,
Sugar &c.

East On S. boundary of Sec. 35

- 40.00 Set of. Sec. post, from which
a Beech 12 in. diam. brang West 6 lks. dist. of
a Co. 12 " " " N 5° E 14 " "
70.00 a Stream 10 lks. wide Course S.
80.00 Set post Cor. to Sec. 35 & 36, from which
a Beech 18 in. diam. brang S 70° E 30 lks. dist. of
a Co. 12 " " " N 45° W 26 " "
This mile some broken, 3rd rate land, timber Oak,
Beech, Ash, Poplar &c.

East On S. boundary of Sec. 36

- 22.50 a Stream 15 lks. wide Course S. E.
40.00 Set of. Sec. post, from which
a Sugar 10 in. diam. brang S 70° E 20 lks. dist. of
a Co. 4 " " " North 25 " "
80.00 Set post Cor. to Township 6 of North, of Range
12 & 13 East, from which
a W. Oak 20 in. diam. brang N 88° W 11 lks. dist. of
a B. Oak 22 " " " S 4° E 21 " "
This mile broken 3rd rate land, timber similar
to the preceding mile

Oct. 1806
Surveyed by Stephen Ludlow, D. S.
for John Brownson
Depty. Surveyor

East Boundary var. 5° 30' E.
North On E. boundary of Sec. 36
0.47 a W. Oak 24 in. diam.

ch. lks.

- 27.15 a watercourse 4 lks, wide runs S. E.
 39.00 a Do 6 " " " E. 100 lks. where it falls
 40.00 Set of Sec. post, from which [into another runing S.
 a Sugar 11 in. diam. bran South 8 lks. dist. of
 a Do. 12 " " " N 74 W 8 " "
 41.50 a Brook 15 lks, wide, line runs up it 650 lks. E. up
 it N 5 E.
 54.28 a Beech 24 in. diam.
 80.00 Set post Cor. to Sec. 25 of 36, from which
 a Beech 12 in. diam. bran N 39 E 6 lks. dist. of
 a Sugar 9 " " " S 1 E 31 " "
 Land waving timber Oak, Hickory, Sugar, Poplar &c.

North On E. boundary of Sec. 25

- 2.88 a Poplar 18 in. diam.
 5.54 a watercourse 6 lks, wide runs S. W.
 14.15 a Beech 16 in. diam.
 26.87 a Poplar 40 " "
 40.00 Set of Sec. post, from which
 a Poplar 7 in. diam. bran N 52 W 17 lks. dist. of
 a Beech 16 " " " S 29 E 37 " "
 41.61 a Poplar 24 in. diam.
 57.15 a B. Gum 18 " "
 63.11 a W. Oak 22 " "
 80.00 Set post Cor. to Sec. 24 of 25, from which
 a W. Oak 14 in. diam. bran N 1 W 30 lks. dist. of
 a Do. 14 " " " S 24 W 7 " "
 Land waving, timber Beech, Oak, Hickory, Poplar &c.

North On E. boundary of Sec. 24

- 13.52 a Poplar 40 in. diam.
 21.35 a watercourse 4 lks, wide runs S. E.
 31.40 a Do. 8 " " " S. E.
 40.00 Set of Sec. post, from which
 a Poplar 4 1/2 in. diam. bran N 19 W 29 lks. dist. of
 a W. Oak 36 " " " S 28 E 25 " "

T. N. S. P. E. 2^d. Mer. Indianach. 1st 1/2

53.31 a W. Oak 36 in. diam.

54.50 a Watercourse 5 lks, wide runs S.W.

80.00 Set post Cor. to Sec. 13 of 24, from which
a W. Oak 22 in. diam., bears N 20 E 20 lks, dist. of
a Beech 8 " " " S 6 W 31 " "

Sand timber &c. same as on last mile Nov. 22, 1806

North On E. boundary of Sec. 13

29.50 a W. Oak 36 in. diam.

31.97 a W. Oak 32 " "

40.00 Set of Sec. post, from which
a Beech 18 in. diam., bears West 8 lks, dist. of
a W. Oak 30 " " " East 28 " "

43.50 a watercourse 5 lks, wide runs N.E.

47.38 a Poplar 42 in. diam.

62.50 Same watercourse 10 lks, wide runs N.W.

65.80 a watercourse 5 lks, wide runs W.

80.00 Set post Cor. to Sec. 12 of 13, from which
a W. Oak 16 in. diam., bears N 42 W 27 lks, dist. of
an Ironwood 7 " " " S 65 E 35 " "
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 12

0.67 a watercourse 5 lks, wide runs S.W.

38.13 a Poplar 30 in. diam.

40.00 Set of Sec. post, from which
a W. Oak 11 in. diam., bears S 31 W 9 lks, dist. of
a Do 24 " " " N 79 E 35 " "80.00 Set post Cor. to Sec. 1 of 12, from which
a W. Oak 36 in. diam., bears N 12 W 23 lks, dist. of
a Beech 18 " " " N 72 E 32 " "
Land waving, timber Beech, Oak, Hickory &c.
underg. th Dogwood, Sassafras &c.

North On E. boundary of Sec. 1

28.97 a W. Oak 24 in. diam.

T8 N. R12 E. 2nd. Mer. Indiana

ch. lks

- 39.38 a Brook 40 lks. wide runs S. E.
 40.00 Set of. sec. post, from which
 a Sycamore 9 in. diam. bears N19 E 7 lks. dist. of
 an Elm 8 " " " S79 W 59 " "
 50.40 a Beech 17 " "
 60.50 a watercourse 5 lks. wide runs W.
 80.00 Set post cor. to Township 7 & 8 North, of Range
 12 & 13 East, from which
 a Sugar 9 in. diam. bears S2 W - lks. dist. of
 a Beech 18 " " " N35 W - " "
 Land hilly, timber Oak, Hickory &c. undergth. Dog
 wood Sassafras, Hazel &c. very thick

- North Boundary, Random line
 East On S. boundary of Sec. 31, T8 N. R12 E.
 3.00 Laughery Creek 100 lks. wide runs S75 W.
 7.50 Same Creek, line runs up it 15.00 ch. Crossing it
 twice Course up it N. E.
 40.00 Set temp. of. sec. post
 75.80 a watercourse 12 lks. wide runs S.
 80.00 Set temp. Cor. to Sec. 31 & 32, T8 N. R12 E.
 Land broken, timber Beech, Oak, Hickory, Ash &c.

- East On S. boundary of Sec. 32, T8 N. R12 E.
 29.40 a watercourse 10 lks. wide runs S.
 40.00 Set temp. of. sec. post
 66.85 a watercourse 12 lks. wide runs S.
 80.00 Set temp. Cor. to Sec. 32 & 33, T8 N. R12 E.
 Land waving, timber Beech, Oak, Hickory, Poplar &c.

- East On S. boundary of Sec. 33, T8 N. R12 E.
 40.00 Set temp. of. sec. post
 80.00 Set temp. Cor. to Sec. 33 & 34, T8 N. R12 E.
 Land flat, timber Oak, Beech, Hickory, Gum &c.

- East On S. boundary of Sec. 34, T8 N. R12 E.

S 7 N. R 12 E. 2nd Mer. Indianachth.40.00 Set temp^y. q^r. Sec. post43.30 a watercourse 5 l^y. wide run^y S. E.

53.00 a Spring run S.

64.00 a watercourse 10 l^y. wide run^y S.80.00 Set temp^y. Cor. to Sec^s. 34 & 35, T 8 N. R 12 E.

Land waving, timber, Oak, Beech, Hickory, Ash &c.

East On S. boundary of Sec. 35, T 8 N. R 12 E.

24.90 a watercourse 12 l^y. wide run^y S.40.00 Set temp^y. q^r. Sec. post40.30 a watercourse 8 l^y. wide run^y S. W.80.00 Set temp^y. Cor. to Sec^s. 35 & 36

Land timber &c. Same as on the last mile

East On S. boundary of Sec. 36, T 8 N. R 12 E.

28.10 a watercourse 12 l^y. wide run^y S. E.40.00 Set temp^y. q^r. Sec. post61.63 Intersected the Range line 10.17 l^y. S. of post

Land timber &c. Same as on the last mile

North Boundary Corrected Line

West On S. boundary of Sec. 36, T 8 N. R 12 E.

40.00 Set q^r. Sec. post, from whicha Beech 15 in. diam^t. bran^y N 89 E 16 l^y. dist. of

a Do. 15 " " " S 40 W 25 " "

80.00 Set post cor. to Sec^s. 35 & 36, from whicha Maple 16 in. diam^t. bran^y N 45 E 15 l^y. dist. of

a Gum 9 " " " S 48 W 11 " "

November 25th. 1806

West On S. boundary of Sec. 35, T 8 N. R 12 E.

27.50 a Poplar 36 in. diam^t.40.00 Set q^r. Sec. post, from whicha Hickory 18 in. diam^t. bran^y S 11 W 12 l^y. dist. of

a Sugar 11 " " " N 59 W 23 " "

S 7 N. R 12 E. 2nd. Mer. Indiana

ch² lks.

80.00 Set post Cor. to Sec. 34 & 35, from which
a Ash 14 in. diam. bran East 12 lks. dist. of
a Beech 13 " " " S 64 W 27 " "

Nest On S. boundary of Sec. 34 S 8 N. R 12 E.

5.96 a Poplar 46 in. diam.

40.00 Set gr. sec. post, from which
a Hickory 18 in. diam. bran N 7 W 29 lks. dist. of
a W. Oak 34 " " " S 28 E 37 " "

73.89 a W. Oak 30 " "

80.00 Set post Cor. to Sec. 33 & 34, from which
a Beech 13 in. diam. bran N 8 E 22 lks. dist. of
a — 10 " " " S 4 W 12 " "

Nest On S. boundary of Sec. 33, S 8 N. R 12 E.

40.00 Set gr. sec. post, from which
a Beech 18 in. diam. bran N 12 W 20 lks. dist. of
a Do. 10 " " " S 32 E 8 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 6 in. diam. bran N 20 W 7 lks. dist. of
a Sugar 16 " " " S 36 E 23 " "

Nest On S. boundary of Sec. 32, S 8 N. R 12 E

21.48 a W. Oak 36 in. diam.

40.00 Set gr. sec. post, from which
a Beech 15 in. diam. bran N 73 E 12 lks. dist. of
a Do. 10 " " " S 62 W 16 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
a W. Oak 30 in. diam. bran S 53 W 12 lks. dist. of
a Gum 16 " " " N 9 W 16 " "

Nest On S. boundary of Sec. 31, S 8 N. R 12 E.

40.00 Set gr. sec. post, from which
a Lycamore 42 in. diam. bran N 64 W 52 lks. dist. of
a Do. 14 " " " S 84 E 43 " "

61.63 to Township Corner. Nov. 26th 1806.

ch. lks
 T^y N. R 12 E. 2nd Mer. Indiana
 West Boundary var. 5° 30' E.
 North On E. boundary of Sec. 36, T^y N. R 11 E
 6.25 a Brook — lks. wide run S 15 W
 10.30 Same 12 " " " S. E.
 11.75 a Poplar 48 in. diam.
 40.00 Set gr. Sec. post, from which
 a Beech 8 in. diam. brang N 41 E 15 lks. dist. of
 a Do. 8 " " " S 13 1/2 W 28 " "
 47.54 a Beech 24 " "
 55.46 a Do. 18 " "
 80.00 Set post cor. to Sec. 25 of 36, from which
 a Beech 8 in. diam. brang N 30 E 28 lks. dist. of
 a Do. 17 " " " S 35 W 32 " "
 Land level, timber Beech, Sugar, Poplar, Ash &c.
 undngth. Spice &c.

North On E. boundary of Sec. 25, T^y N. R 11 E.
 10.85 a Poplar 20 in. diam. brang
 25.28 a Do. 60 " "
 32.50 a Beech 16 " "
 40.00 Set gr. Sec. post, from which
 a W. Oak 60 in. diam. brang South 6 lks. dist. of
 a Beech — " " " N 29 E 10 " "
 46.25 a Brook 8 lks. wide run N. W.
 46.82 an Elm 42 in. diam.
 80.00 Set post cor. to Sec. 24 of 25, from which
 an Elm 11 in. diam. brang N 68 W 10 lks. dist. of
 a Beech 9 " " " S 65 E 18 " "
 Land waving rich, timber Beech, Ash, Poplar
 Oak, Walnut &c. undngth. Spice.

North On E. boundary of Sec. 24, T^y N. R 11 E.
 9.28 a W. Oak 48 in. diam.
 28.58 a Sweet Gum 36 in. diam.
 40.00 Set gr. Sec. post, from which
 an Ash 15 in. diam. brang N 30 W 17 lks. dist. of

T^y N. R 12 E. 2nd. Mer. Indiana

Ch. lks.

- a Beech 24 in. diam. bear S 9 E 21 lks. dist. of
 52.88 a S. Gum 20 " "
 80.00 Set post cor. to Sec. 13 of 24, from which
 a Beech 15 in. diam. bear N 45 W 24 lks. dist. of
 a Do. 9 " " " South 8 " "
 Sand flat, timber Beech, Maple, Oak, Gum, Poplar &c.

North On E. boundary of Sec. 13, T^y N. R 11 E.

- 25.00 a Beech 16 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 18 in. diam. bear N 40 W 37 lks. dist. of
 a Do. 10 " " " S 18 E 22 " "
 59.50 a watercourse 8 lks. wide runs N 10 E.
 73.44 a Do. 6 " " " N. E.
 80.00 Set post cor. to Sec. 12 of 13, from which
 a Gum 20 in. diam. bear South 13 lks. dist. of
 an Elm 12 " " " N 51 W 30 " "
 Sand 1st half level - last 1/2 hilly, timber Beech, Oak
 Hickory, Ash &c

North On E. boundary of Sec. 12, T^y N. R 11 E.

- 2.50 a Poplar 54 in. diam.
 12.40 an Elm 24 " "
 38.00 a Beech 28 " "
 40.00 a water course 10 lks. wide runs West of
 Set of Sec. post, from which
 a Gum 8 in. diam. bear S 44 E 18 lks. dist. of
 an Elm 13 " " " N 53 1/2 W 49 " "
 49.20 a watercourse 6 lks. wide runs N. W.
 58.80 a Do. 5 " " " N. W.
 72.62 a Beech 22 in. diam.
 80.00 Set post cor. to Sec. 1 of 12, from which
 a Sycamore 42 in. diam. bear S 84 W 26 lks. dist. of
 a Do. 36 " " " S 76 E 19 " "
 Sand waving, timber Beech, Ash, Sugar &c.

Ty N R 12 E. 2nd. Mer. Indiana
ch² lks.

North On E. boundary of Sec. 1, Ty N. R 11 E.

1.00 to Sanghury Creek 125 lks. wide runs S. E.

26.00 Same Creek runs N. W.

44.00 Set q^r. Sec. post, from which
at Beech 10 in. diam^r. bear S 4 E 9 lks. dist. &
a Do. 9 " " " N 10 W 7 " "

41.75 Same Creek runs S. E.

54.53 at Beech 18 in. diam^r.

72.25 Same Creek runs S. W.

80.00 Set post Cor. to Townships 7 & 8 North, of Range
11 & 12 E. 2nd. Mer. from which

at Beech 26 in. diam^r. bear N 42 W 13 lks. dist. &

a Sugar 11 " " " S 51 E 17 " "

Sand waving, bottom, timber Beech, Sugar, Ash
Oak &c.

November 24th. 1806

John Permonson

Deputy Surveyor

Subdivision

Jan^y. 5th. 1807

North Between Sec^s. 35 & 36

32.00 a Stream 10 lks. wide runs S. E.

40.00 Set q^r. Sec post, from which
a Sugar 8 in. diam^r. bear North 34 lks. dist.
no other tree

65.00 Crossed a Stream 12 lks. wide runs S. E.

80.00 Set post Cor. to Sec^s. 25, 26, 35 & 36, from which

at Beech 8 in. diam^r. bear S 14 W 14 lks. dist. &

a Sugar 8 " " " S 68 E 26 " "

This mile broken 3^d. rate land, timber Beech, Oak
Sugar & Hickory

East On Rand^m. between Sec^s. 25 & 36

25.50 a watercourse 8 lks. wide Course S.

40.00 Set temp^y. q^r. Sec. post

70.00 a Stream 10 lks. wide runs South

79.00 Intersected the E. boundary 150 lks. S. of post

Sy N R 12 E 2^d. Mer. Indiana

Ch. lks.

This mile broken 3^d rate, timber Oak, Beech, Hickory &c. green briar.

West Corrected between Sec^s. 25 & 36

9.00 a watercourse 10 lks. wide runs S.

39.50 Set of Sec. post at average dist. from which
a Beech 8 in. diam. bears East 12 lks. dist. of
a do. 6 " " " West 4 " "

50.50 a watercourse 8 lks. wide runs S.

79.00 to Sec. Corner.

North Between Sec^s. 25 & 26

11.00 a watercourse 6 lks. wide runs S.W.

40.00 Set of Sec. post, from which
a Gum 16 in. diam. bears S 70 W 38 lks. dist. of
a Poplar 24 " " " N 45 E 30 " "

80.00 Set post Cor. to Sec^s. 23, 24, 25 & 26, from which
a Gum 14 in. diam. bears S 73 W 26 lks. dist. of
a do. 12 " " " N 25 E 30 " "
This mile broken, timber Oak, Beech &c.

North Between Sec^s. 34 & 35

4.00 begin to descend a hill

14.00 a watercourse descends S.W.

40.00 Set of Sec. post, from which
a Beech 14 in. diam. bears East 9 lks. dist. of
a W. Oak 36 " " " S 60 W 20 " "

80.00 Set post Cor. to Sec^s. 26, 27, 34 & 35, for which
a Beech 18 in. diam. stands for the corner
This mile some broken, timber Beech, Oak &c. 3^d rate

East On Rand 8^m. between Sec^s. 26 & 35

40.00 Set temp. of Sec. post

79.00 Intersected the N & S line 11 lks. S. of post
This mile broken 3^d rate land, timber Beech, Oak &c.
Much, Green briar

T. N. R. 12 E 2^d. Mer. Indiana

ch. lks

West Connected between Sec. 26 & 35

8.50 a stream 10 lks. wide runs S.

32.00 a do. 8 " " " S.

39.50 Set of sec. post, from which (at average dist.)
a Dogwood 5 in. diam. bran N 60 W 5 lks. dist. of
a W. Oak 40 " " " N 20 E 27 " "

79.00 to Sec. Corner

North Between Sec. 26 & 27

15.00 a watercourse 8 lks. wide runs S. E.

25.00 a do. 5 " " " S. E.

40.00 Set of sec. post, from which
a Beech 16 in. diam. bran N 60 E 26 lks. dist. of
a Dogwood 4 " " " N 70 W 4 " "

74.00 a stream 14 lks. wide runs S 80 E

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
a Beech 12 in. diam. bran South 9 lks. dist. of
a do. 15 " " " N 25 W 8 " "
This mile broken, timber Beech, Oak, Poplar 3^d rate

North Between Sec. 33 & 34

4.00 to the bank of Langhory Cr. 150 lks. wide runs E.

40.00 Set of sec. post, from which
a Sugar 8 in. diam. bran N 50 E 14 lks. dist. of
a W. Oak 15 " " " South 15 " "

50.00 a watercourse 10 lks. wide runs S. W.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34 from which
a Beech 12 in. diam. bran N 60 E - lks. dist. of
a do. 44 " " " S 48 W - " "
Land timber &c. same as on the last mileEast On Rand^m. between Sec. 27 & 34

10.50 a water Course 10 lks. wide runs S.

40.00 Set temp. of sec. post

80.00 Intersected the N & S. line 14 lks. N. of post
Land timber &c. same as on the last mile.

ch. 2^{ly}

West Corrected between Sec. 27 & 34

40.00 Set of Sec. post at average dist. from which
a Beech 6 in. diam., bran S 45 E 16 lks. dist.
no other bearing tree

70.00 a watercourse 10 lks. wide runs S.

80.00 to Sec. Corner.

North Between Sec. 27 & 28

40.00 Set of Sec. post, from which
a Poplar 36 in. diam., bran S 76 W 2 lks. dist. of
a Beech 24 " " " N 76 E 11 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Gum 18 in. diam., bran South 16 lks. dist. of
a Beech 10 " " " N 7 W 27 " "
This mile level, timber Beech, Poplar &c.

North Between Sec. 32 & 33

35.00 to Laughery Creek 150 lks. wide runs N 20 E

40.00 a Red bud 6 in. diam. stands for of Sec. Corner

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
a Red Bud 4 in. diam., bran S 4 E 11 lks. dist. of
a Do. 4 " " " N 71 W 7 " "

Land broken timber Oak, Beech &c.

Jan. 6th. 1807East On Rand^m. between Sec. 28 & 33

40.00 Set temp. of Sec. post

80.00 Intersected the N & S. line at the post

This mile broken, timber Poplar, Oak &c.

West Corrected between Sec. 28 & 33

33.00 a watercourse 20 lks. wide runs S.

40.00 Set of Sec. post at average dist. from which
a W. Oak 8 in. diam., bran N 69 W 18 lks. dist. of
a W. Elm 8 " " " S 76 E 31 " "

56.50 to Laughery Creek runs S. E.

T 7 N R 12 E. 2nd Mer. Indiana

ch 2 lks.

67.00 to Laughery Creek runs N.E.
80.00 to the Sec. Corner

North Between Secs. 28 & 29

40.00 Set q. Sec. post, from which
a Beech 7 in. diam. bran N 88 E 14 lks. dist. of
a Sugar 6 " " " " S 41 W 15 " "
80.00 Set post Cor. to Secs. 20, 21, 28 & 29, from which
a Beech 6 in. diam. bran S 80 E 30 lks. dist. of
a Ro. 8 " " " " N 73 W 35 " "
This mile some broken, Beech & Poplar land

North Between Secs. 31 & 32

40.00 Set q. Sec. post, from which
an Ironwood 6 in. diam. bran West 12 lks. dist. of
a Sugar 8 " " " " S 10 W 17 " "
80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which
a Beech 6 in. diam. bran N 6 E 30 lks. dist. of
a Ro. 4 " " " " S 6 W 20 " "
This mile hilly Beech & Oak land

East On Rand. between Secs. 29 & 32

40.00 Set temp. q. Sec. post
80.00 Intersected the N & S. line 34 lks. S. of post
Broken hilly land, timber principally Beech & Poplar

West Corrected between Secs. 29 & 32

40.12 1/2 Set q. Sec. post, at average dist. from which
a Blue Ash 4 in. diam. bran S 8 E 9 lks. dist. of
a Sugar 8 " " " " N 33 W 19 " "
75.00 to Laughery Creek 150 lks. wide runs S.E.
80.25 to Sec. Corner. Some sugar undg. Apple 3 1/2 rate

West Between Secs. 30 & 31

40.00 Set q. Sec. post, from which
a Beech 4 in. diam. bran North 4 lks. dist. of

Ty N R E 12 E. 2nd Mer. Indiana

395

ch. 2 lks.

75.50 at Beech 4 in. diam. bran South 4 lks. dist.
Intersected W. boundary 75 lks. N. of post
Set post Cor. to Sec. 30 & 31, from which
a Beech 7 in. diam. bran N 77 E 12 lks. dist. of
a Do. 4 " " " S 40 W 15 " "
This mile land & timber similar to the preceding mile

North Between Sec. 29 & 30

40.00 a Sugar 4 in. diam. stand, for q. Sec. Corner
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Poplar 48 in. diam. bran S 54 E 15 lks. dist. of
a Beech 14 " " " N 54 W 15 " "
This mile hilly 3rd rate, timber Beech, Oak &c.

West Between Sec. 19 & 30

40.00 Set q. Sec. post, from which
a Beech 9 in. diam. bran S 66 E 16 lks. dist. of
a Do. 7 " " " N 66 W 8 " "
77.00 Intersected W. boundary 70 lks. N. of post
Set post Cor. to Sec. 19 & 30, from which
a Gum 9 in. diam. bran N 78 W 6 lks. dist. of
a Beech 4 " " " S 17 E 5 " "
This mile broken 3rd rate, timber Beech, Poplar &c.

East On Rand^m. between Sec. 20 & 29

20.00 to Laughery Creek 150 lks. wide run S. W.
40.00 Set temp. q. Sec. post
80.50 Intersected the N & S. line 20 lks. N. of Corner

East On Rand^m. between Sec. 21 & 28

7.50 a stream 10 lks. wide run S.
40.00 Set temp. q. Sec. post
76.00 a branch 6 lks. wide run S.
79.75 Intersected the N & S. line at the post
Land broken

T^yN R12 E. 2^d. Mer. IndianaCh. 1st l^y.East On Rand^m. between Sec^s. 22 & 2740.00 Set temp^y. g^r. Sec. post70.00 a Stream 12 l^ys. ~~dist~~ wide run^y S. E.78.82 Intersected the N & S. line 14 l^ys. N. of postEast On Rand^m. between Sec^s. 23 & 2613.00 a Stream 12 l^ys. wide run^y S.40.00 Set temp^y. g^r. Sec. post75.00 a water course 6 l^ys. wide run^y S.78.50 Intersected the N & S. line 13 1/2 l^ys. S. of postEast On Rand^m. between Sec^s. 24 & 2540.00 Set temp^y. g^r. Sec. post

79.56 Intersected the E. boundary at the post

This mile some broken, timber Beech, Oak, Hickory
& Poplar, much Green-brier, 3rd rateWest Corrected between Sec^s. 24 & 2533.50 a Stream 8 l^ys. wide run^y S.39.78 Set g^r. Sec. post at average dist. from which
a Spruce 10 in. diam. bran^y N 3 E 6 l^ys. dist. of
no other Bearing tree

79.56 to Sec. Corner.

North Between Sec^s. 23 & 2440.00 Set g^r. Sec. post, from whicha W. Oak 38 in. diam. bran^y N 30 E 4 1/2 l^ys. dist. of

a Sugar 6 " " " S 40 W 19 " "

80.00 Set post Cor. to Sec^s. 13, 14, 23 & 24, from whicha Beech 12 in. diam. bran^y North 6 l^ys. dist. of

a No. 6 " " " S 7 W 35 " "

This mile level 3rd rate, timber Beech & W. Oak
Open woods, (much Green brier)East On Rand^m. between Sec^s. 13 & 2440.00 Set temp^y. g^r. Sec. post

S. N. 12 E. 2^d. Mer. Indiana

ch. lky.

65.00 a watercourse 6 lky. wide runs S.

79.90 Intersected the E. boundary at the post
Sand timber &c. same as on the last mile

West Corrected between Sec. 13 & 24

39.95 Set of. Sec. at average dist. from which
a Cogwood 4 in. diam. bearing South 12 lky. dist. of
a W. Ash 10 " " " N 70 E 38 " "

79.90 to Sec. Corner.

North Between Sec. 13 & 14

40.00 Set of. Sec. post, from which
a Gum 16 in. diam. bearing N 4 E 19 lky. dist. of
a Beech 12 " " " S 21 E 44 " "

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Beech 10 in. diam. bearing N 70 W 40 lky. dist. of
a Ro. 12 " " " S 30 E 24 " "
Sand timber &c. same as on the last mile

West Corrected between Sec. 23 & 26

39.25 Set of. Sec. post at average dist. from which
a Poplar 28 in. diam. bearing N 45 W 11 lky. dist. of
a Ro. 12 " " " S 30 E 27 " "

78.50 to Sec. Corner

This mile broken, timber Beech, Oak &c. 3^d rate

North Between Sec. 22 & 23

40.00 Set of. Sec. post, from which
a Poplar 14 in. diam. bearing West 24 lky. dist. of
a W. Oak 60 " " " S 10 E 27 " "

63.50 a watercourse 6 lky. wide runs S. E.

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
(The Bearing trees Omitted)
Sand timber &c. same as on the last mile

East On Land 9^m between Sec. 14 & 23

T^y N. R 12 E. 2nd Mer. Indianach² lth.

- 10.00 a Stream 14 lth, wide runs S.
 40.00 Set temp^y. g^y. Sec. post
 69.00 a watercourse 6 lth, wide runs S.
 80.00 Intersected the N & S. line at the post
 This mile level 2nd rate, timber Beech, Oak, Poplar &c.
-

West Corrected between Sec^s. 14 & 23

- 11.50 a watercourse 6 lth, wide runs S.
 40.00 Set g^y. Sec. post, at average dist. from which
 a Poplar 48 in. diam. beam N 65 W 10 lth. dist. of
 a Beech 8 " " " N 14 E 6 " "
 70.00 a Stream 12 lth, wide runs S.
 80.00 to Sec. Corner
-

North Between Sec^s. 14 & 15

- 4.00 a Stream 12 lth, wide runs S. E.
 40.00 Set the g^y. Sec. post, from which
 a Beech 6 in. diam. beam S 25 E 18 lth. dist. of
 no other Bearings
 80.00 Set post Cor. to Sec^s. 10, 11, 14 & 15, from which
 a Beech 18 in. diam. beam N 85 E 15 lth. dist. of
 a Do. 10 " " " N 40 W 14 " "
 Land timber &c. same as on the last mile
-

West Corrected between Sec^s. 22 & 23

- 39.41 Set g^y. Sec. post at average dist. from which
 a Poplar 40 in. diam. beam N 70 W 26 lth. dist. of
 a W. Oak 18 " " " N 68 E 25 " "
 78.82 to Sec. Corner. This mile some broken, timber
 Beech, Oak, Sugar, & some Poplar, undergth.
 Spice 3rd rate
-

North Between Sec^s. 21 & 22

- 40.00 Set g^y. Sec. post, from which
 a W. Oak 36 in. diam. beam S 78 W 11 lth. dist. of
 a Dogwood 6 " " " N 78 E 9 " "

Sy N R 12 E. 2nd. Mer. Indiana

399

Ch. Lk.

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
a Dogwood 6 in diam. bear N 56 W 9 lks. dist. of
at Beech 8 " " " S 56 E 21 " "
This mile lived 2nd rate, Beech, Poplar, Spruce

East On Rand^m. between Sec. 15 & 22

40.00 Set tmpr. of Sec. post

78.40 Intersected the N & S line at the post
Sand timber &c. same as on the last mile

West Corrected between Sec. 15 & 22

21.50 a watercourse 6 lks. runs S.

39.20 Set of Sec. post at average dist. from which
a W. Oak 50 in diam. bear N 40 W 5 lks. dist. of
a Gum 10 " " " S 61 E 19 " "

78.40 to Sec. Corner

North Between Sec. 15 & 16

40.00 Set of Sec. post, from which
a W. Oak 48 in diam. bear N 74 W 9 lks. dist. of
at Beech 9 " " " S 19 E 24 " "

44.11 at Beech 10 " " in the line

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
at Beech 10 in diam. bear S 40 W 24 lks. dist. of
a Ro. 12 " " " N 36 E 24 " "
Sand timber &c. same as on the last mile

West Corrected between Sec. 21 & 28

39.54 Set of Sec. post at average dist. from which
a Sugar 14 in diam. bear S 48 E 11 lks. dist. of
a Dogw. 4 " " " N 55 W 14 " "

40.50 a Brook 10 lks. wide runs S.

79.08 to Sec. Corner.

This mile broken 3rd rate Beech, Poplar &c.

North Between Sec. 20 & 21

S. N. R. 12 E. 2^d Mer. Indiana

ch. lks

- 39.50 a stream 16 lks. wide runs S.
 40.00 Set q. sec. post, from which
 a Sugar 8 in. diam. beam East 4 lks. dist. of
 a Do. 7 " " " West 15 lks. "
 80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 14 in. diam. beam S 10 W 9 lks. dist. of
 a Blue Ash 10 " " " N 8 E 3 " "
 This mile level 3^d rate, Beech, Ash, Poplar &c.
-

East Outland^m, between Sec. 16 & 21

- 40.00 Set temp. q. sec. post
 79.50 Intersected the N & S. line at the post
 Land timber &c. same as on the last mile
-

West Corrected between Sec. 16 & 21

- 39.75 Set q. sec. post, at average dist. from which
 a Beech 10 in. diam. beam S 29 W 9 lks. dist. of
 a Gum 15 " " " S 83 W 16 " "
 61.27 a Beech 24 " " in the line
 79.50 to Sec. Corner
-

North Between Sec. 16 & 17

- 40.00 Set q. sec. post, from which
 a Beech 3 in. diam. beam N 70 W 30 lks. dist. of
 a Do. 10 " " " S 76 E 15 " "
 72.00 at Beech 18 " " in the line
 80.00 Set post Cor. to Sec. 8, 9, 16 & 17, for which
 a Beech 12 in. diam. stand, for the corner
 This mile level 3^d rate, timber Beech, Oak &c.
-

West Corrected between Sec. 20 & 29

- 40.25 Set q. sec. post at average dist. from which
 a Sugar 14 in. diam. beam South 26 lks. dist. of
 a Beech 7 " " " East 13 " "
 80.50 to Sec. Corner. This mile broken 3^d rate
 timber Beech, Poplar, Soil rich much growing

401

T. N. R 12 E. 2nd. Mer. Indiana

ch. l. l. l.

North Between Sec. 19 & 20

15.00 to a precipice of Rocks

40.00 At gr. sec. post, from which
a Beech 4 in. diam. bray S 35 N 21 lks. dist. of
a do. 8 " " " N 55 E 12 " "

45.50 Langhory Creek runs E.

80.00 At post Cor. to Sec. 17, 18, 19 & 20, from which
a Hackberry 6 in. diam. bray North 7 lks. dist. of
a Buckeye 4 " " " N 64 E 7 " "
This mile level 3rd rate, timber Oak, Beech &c.

East On Land 8th between Sec. 17 & 20

40.00 At temp. gr. sec. post

80.00 Intersected the N of S. line at the post
This mile level 3rd rate, Beech, Poplar &c.

West Connected between Sec. 17 & 20

36.50 a Stream 6 lks. wide runs S.

40.00 At gr. sec. post, at average dist. from which
a Beech 34 in. diam. bray S 25 E 18 lks. dist. of
a Poplar 20 " " " N 41 E 27 " "

75.00 begin to descend a very steep hill, fine red cedar grove

80.00 to Sec. Corner

West Between Sec. 18 & 19

13.00 to Langhory Creek 150 lks. wide runs S. E.

40.00 At gr. sec. post, from which
a Maple 8 in. diam. bray N 34 E 21 lks. dist. of
a do. 9 " " " N 62 W 46 " "

75.00 Intersected N. boundary 58 lks. N. of post

At post Cor. to Sec. 18 & 19, from which
a Poplar 6 in. diam. bray S 50 E 10 lks. dist. of
a Beech 6 " " " N 23 W 28 " "

This mile level 3rd rate, timber Beech, Poplar &c.

North Between Sec. 17 & 18, T. N. R 12 E.

T^yN R 12 E. 2^d. Mer. IndianaCh^l. lth.

40.00 Set q^r. Sec. post, from which
at Beech 12 in. diam. bear South — lth. dist. of
a do. 9 " " " N 89° W 13 " "
80.00 a Dogwood 3 " " Stand for the Corner to
Sec^s. 7, 8, 17 & 18.
This mile broken 3^d. rate, timber Beech, Poplar &c.

West Between Sec^s. 7 & 18

40.00 Set q^r. Sec. post, from which
at Beech 6 in. diam. bear S 62° W 9 lth. dist. of
a do. — " " " S. W. — " "
69.00 to Langhory Creek run S.
74.50 Intersected the W. boundary 50 lth. N. of post
Set post Cor. to Sec^s. 7 & 18, from which
a Beech 10 in. diam. bear N. W. — lth. dist. of
a do. 14 " " " S. W 17 " "
This mile broken Beech land

East On Rand^m. between Sec^s. 8 & 17

40.00 Set temp^y. q^r. Sec. post
80.00 Intersected the N & S. line 11 lth. S. of post

East On Rand^m. between Sec^s. 9 & 16

40.00 Set temp^y. q^r. Sec. post
79.50 Intersected the N & S. line 27 lth. N. of post

East On Rand^m. between Sec^s. 10 & 15

40.00 Set temp^y. q^r. Sec. post
79.00 Intersected the N & S. line at the post

East On Rand^m. between Sec^s. 11 & 14

40.00 Set temp^y. q^r. Sec. post
77.00 a water Course 6 lth. wide run N.
80.00 Intersected the N & S. line at the post

East On Rand^m. between Sec^s. 12 & 13

T₇N 12 E. 2nd. Mer. Indianach^d. lks.40.00 Set temp^y. q^r. Sec. post

79.00 Intersected the N & S. line at the post

This mile level 3rd. rate, timber Beech, Oak, Hickory
& Gum, (much briar)West Connected between Sec^s. 12 & 13

28.00 a watercourse 10 lks. wide runs North

39.00 a do. 10 " " " N 30 E.

39.50 Set q^r. Sec. post at average dist. from which
a Beech 30 in. diam. bears S 88° W 36 lks. dist. of
a Gum 18 " " " North 36 " "

79.00 to Sec. Corner.

North Between Sec^s. 11 & 12

25.00 a watercourse 30 lks. wide runs S. E.

40.00 Set q^r. Sec. post, from which
a Beech 5 in. diam. bears N 69° W 16 lks. dist. of
a do. 8 " " " S 50° E 8 " "80.00 a Gum 18 " " Stand for the Corner of Sections
1, 2, 11 & 12. This mile some broken, timber
Beech, Poplar, Oak &c.East On Rand^m. between Sec^s. 1 & 1240.00 Set temp^y. q^r. Sec. post on the bank of a creek 40 lks.
wide runs N. E.80.17 Intersected the E. boundary at the post
This mile level 3rd. rate land, timber W. Oak,
Hickory, Ash & Open woodsWest Connected between Sec^s. 1 & 1240.08 Set q^r. Sec. post at average dist. from which
a Beech 8 in. diam. bears West 46 lks. dist. of
a do. 15 " " " S 70° E 65 " "

80.17 to Sec. Corner

North Between Sec^s. 1 & 12

Ty N R 12 E. 2nd Mer. Indiana
ch. lks.

- 40.00 Set gr. Sec. post from which
at Beech 6 in. diam. brang N 81 E 35 lks. dist. of
a Do. 3 " " " N 77 W 12 " "
78.00 Intersected the N. boundary 25 lks. W. of post
at Beech 5 in. diam. stands for the Cor. of Sec. 1 & 2
This mile level 2nd rate land timber
Beech, Oak &c.
-

West Corrected between Sec. 11 & 14

- 40.00 at Beech 8 in. diam. stands for gr. Sec. post at
average dist on true line
80.00 to Sec. Corner. This mile level 2nd rate land
Beech, Sugar & W. Oak, undergth Spruce
-

North Between Sec. 10 & 11

- 40.00 Set gr. Sec. post, from which
at Beech 10 in. diam. brang S 40 W 16 lks. dist. of
a W. Ash 15 " " " N 28 E 8 " "
80.00 Set post Cor. to Sec. 2, 3, 10 & 11 from which
a Gum 34 in. diam. brang S 45 W 29 lks. dist. of
at Beech 8 " " " S 80 E 24 " "
Level 3rd rate Beech land
-

East On Rand^m. between Sec. 2 & 11

- 11.50 a watercourse 10 lks. wide runs S. E.
16.50 Crosses the last mentioned watercourse runs N 70 E.
40.00 Set temp^y. gr. Sec. post
55.50 a stream 50 lks. wide runs S.
79.50 a Do. 5 " " " S.
80.50 Intersected the N & S. line at the post
This mile broken 3rd rate, timber Beech, Oak, Poplar &c
-

West Corrected between Sec. 2 & 11

- 40.25 Set gr. Sec. post, from which (at average)
a Poplar 48 in. diam. brang S 78 W 14 lks. dist. of
at Beech 20 " " " N 78 E 16 " "

405

2nd N - R 12 E. 2nd Mer. Indiana
ch. 2nd 6th
80.50 to Section Corner

North Between Sec. 2 & 3

- 3.50 a watercourse 6th wide run E.
40.00 Set q. sec. post, from which
a Beech 6 in. diam. bear N 48 W 19th dist. of
a Do. 6 " " " S 39 E 8 " "
78.00 Intersected the N. boundary 65th N. of post
Set post cor. to Sec. 2 & 3, from which
a Beech 8 in. diam. bear N 28 E 19th dist. of
no other. This mile similar to the preceding mile
-

West Corrected between Sec. 10 & 15

- 38.50 a small watercourse 5th wide run S.
39.50 Set q. sec. post at average dist. from which
a Gum 24 in. diam. bear N 40 W 17th dist. of
a Beech 4 " " " South 15 " "
79.00 to Sec. Corner. This mile level 3rd rate, timber
Beech, Poplar, Oak &c. Open woods
-

North Between Sec. 9 & 10

- 40.00 Set q. sec. post, from which
a Beech 12 in. diam. bear South - 1st dist. of
a Do. 8 " " " N 40 E - " "
80.00 Set post cor. to Sec. 3, 4, 9 & 10, from which
an Elm 14 in. diam. bear S 7 W 10th dist. of
a Gum 3 " " " N 64 E 5 " "
Land timber &c. same as on the last mile
-

East On Rand. between Sec. 3 & 10

- 40.00 Set temp. q. sec. post
79.80 Intersected the N. & S. line 6th N. of post
This mile level 3rd rate land, Beech & W. Oak, Open woods
-

West Corrected between Sec. 3 & 10.

- 39.90 Set q. sec. post at average dist. from which

Ch. Lk. N. R. 12 E. 2^d. Mer. Indiana

a Beech 12 in. diam. bear S 74 E 16 lks. dist. of
a Do. 6 " " " N 70 W 23. "
79.80 to Sec. Corner.

North Between Sec. 3 & 4

40.00 Set q. Sec. post, from which
a W. Oak 30 in. diam. bear S 45 E 22 lks. dist. of
a Beech 8 " " " West 24 " "

77.78 Intersected the N. boundary at the post
This mile level 3^d. rate land, timber Beech, large
W. Oak, Poplar &c. undug^d. Spruce

West Corrected between Sec. 9 & 16

39.75 Set q. Sec. post at average dist. from which
a Beech 8 in. diam. bear S 67 W 14 lks. dist. of
a Do. 12 " " " N 67 E 36 " "

79.50 to the Sec. Corner

This mile level 3^d. rate land, timber Beech, Oak,
Poplar, much brush & dead brush.

North Between Sec. 8 & 9

40.00 Set q. Sec. post, from which
a Beech 6 in. diam. bear East 20 lks. dist. of
a Do. 8 " " " S 8 W 10 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 3 in. diam. bear N 35 E 5 lks. dist. of
a Do. 4 " " " S 54 W 10 " "

Sand timber &c. same as on the last mile

East On Rand. between Sec. 4 & 9

18.00 a Stream 10 lks. wide runs N.

40.00 Set temp. q. Sec. post

79.50 Intersected the N. & S. line at the post
This mile broken land, Beech, Oak, Poplar, Gum &c.

West Corrected between Sec. 4 & 9

S. N. R 12 E. 2^d. Mer. Indiana

ch. 8. lks.

39.75 Set q^r. Sec. post at average dist. from which
a Beech 18 in. diam^r. bear N 14 E 7 lks. dist. of
a Do. 8 " " " N 14 E 6 " "

79.50 to Sec. Corner

West Corrected between Sec. 8 & 17

40.00 Set q^r. Sec. post at average dist. from which
a Beech 12 in. diam^r. bear South 9 lks. dist. of
a Sugar 8 " " " North 10 " "

49.11 a Poplar 24 " " in the line

80.00 to Sec. Corner.

This mile some broken, Beech, Poplar &c.

North Between Sec. 7 & 8

40.00 Set q^r. Sec. post, from which
a Poplar 14 in. diam^r. bear N 60 E 1 lks. dist. of
a Beech 6 " " " N 60 W 3 lks. "

67.00 a Stream 10 lks. wide runs W.

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 12 in. diam^r. bear S 27 W 3 lks. dist. of
a Gum 14 " " " N 27 E 15 " "

This mile broken 3^d rate, Beech, Oak &c.

East On Rand^m. between Sec. 5 & 8

40.00 Set temp^y. q^r. Sec. post

79.50 Intersected the N & S. line 50 lks. N. of post

This mile broken 3^d rate, Beech, Oak, Poplar &c.

West Corrected between Sec. 5 & 8

39.75 Set q^r. Sec. post, at average dist. from which
a W. Oak 48 in. diam^r. bear S 84 W 22 lks. dist. of
a Beech 12 " " " N 76 E 23 " "

79.50 to Sec. Corner.

North Between Sec. 4 & 5

40.00 Set q^r. Sec. post, from which

T^h N. R 12 E. 2^d. Mer. Indiana

ch 2th.

a W. Oak 12 in. diam. brang East 25 lks. dist. of
a Beech 4 " " " S 20 E 20 " "
78.00 Intersected the N. boundary at the post
This mile broken 3^d. rate, timber Beech Oak &c

West Between Secs. 6 & 7, T^h N. R 12 E

40.00 Set q. Sec. post, from which
a W. Oak 30 in. diam. brang N 77 W 30 lks. dist. of
a Beech 8 " " " S 76 E 15 " "
62.00 to Langhurs Creek 100 lks. wide run S.
72.00 Intersected N. boundary at the post
Land timber &c. same as the last mile

North Between Secs. 5 & 6

40.00 Set q. Sec. post, from which
a Dogwood 5 in. diam. brang N 67 E 10 lks. dist. of
a Red Oak 7 " " " S 67 W 23 " "
42.00 a Stream 50 lks. wide run W.
78.10 Intersected the N. boundary 100 lks. E. of post
Set post Cor. to Secs. 5 & 6, from which
a Beech 6 in. diam. brang Stand for the corner
of Secs. 5 & 6. Land &c. same as on the last mile
Surveyed in 1807
By Stephen Ludlow, D. S.

I certify that the foregoing transcript of field notes
of Township 7 North, Range N. 12 East 2^d. Principal
Meridian Indiana has been compared with the
Original notes on file in this Office & found to be correct.
Surveyor General's Office
Cincinnati Nov. 1. 1844

William Johnston
Sur. Gen.

Comp.